



SJ-10T, 10-TON SCREW JACK

441310

JET® SJ Series Screw Jack is available in five capacities ranging from 5 to 25 Tons that hold the load without creeping. The cast bell shaped housing provides stability while the Jack design requires less effort to raise the load increasing productivity



FEATURES

- Industrial design eliminates creeping when holding heavy loads
- Heavy-duty cast bell shaped base provides a stable foundation in multiple lifting environments
- Corrugated pivoting head, contours to the load providing maximum surface contact
- Improved design requires less effort to lift a maximum capacity load
- Turning bar not included (available seperately)
- Complies with ANSI/ASME B30.1 Standards

STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE



SJ-10T, 10-TON SCREW JACK

441310

SPECIFICATIONS

Capacity (Tons)	10
Screw Size (OD x L)	1-1/2 x 8-3/8
Bar Hole Size (In.)	11/16
Head Diameter (In.)	3-1/16
Height Closed (In.)	11
Height Extended (In.)	17-1/2
Base Diameter (In.)	5-1/4
Weight (Lbs.)	16



STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE



SJ-10T, 10-TON SCREW JACK

441310

FULL SERIES

STOCK NO	MODEL NO	CAPACITY (TONS)	SCREW SIZE (OD X L)	BAR HOLE SIZE (IN.)	HEAD DIAMETER (IN.)	HEIGHT CLOSED (IN.)
441310	SJ-10T	10	1-1/2 x 8-3/8	11/16	3-1/16	11
441315	SJ-15T	15	1-5/8 x 10-1/2	13/16	3-1/2	13-3/4
441320	SJ-20T	20	2 x 12	13/16	4-1/8	16
441325	SJ-25T	25	2-1/2 x 12	13/16	4-3/8	16-1/2
441305	SJ-5T	5	1 x 6	9/16	2-3/8	9

STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE